

MATERIAL SAFETY DATA SHEET

PRODUCT TRADE NAME: **Red Line Diesel WaterWetter®**

REVISION DATE: July 15, 2005

CHEMICAL NAME: Glycol Ether Mixture

NFPA CODE: Health: 0 Fire: 1 Reactivity: 0

SECTION 1 - INGREDIENTS

Propylene Glycol	1-60%	CAS #57-55-6
Dilsopropyl Alcohol Ether	1-20%	CAS #25265-71-8
TrilsoPropyl Alcohol Diether	1-20%	CAS #24800-44-0
PolySiloxane Polymer		

This material is not known to contain greater than 0.1% of any carcinogen required to be listed under the OSHA Hazard Communication Standard (29CFR1910.1200)

SECTION 2 - FIRE AND EXPLOSION HAZARDS

FLASH POINT: >300°F (149°C)
UPPER FLAMMABLE LIMIT: Not Determined.
LOWER FLAMMABLE LIMIT: Not Determined.
EXTINGUISHING MEDIA: CO₂, dry chemical, foam.
SPECIAL FIREFIGHTING PROCEDURES: None.
UNUSUAL FIRE & EXPLOSION HAZARDS: None.

SECTION 3 - HEALTH HAZARD DATA

ORAL TOXICITY: LD50: Greater than 5000mg/kg in rats. Based on data from components.
EYE IRRITATION: May cause slight eye irritation.
SKIN IRRITATION: May cause slight skin irritation.
OTHER: None
TLV: None established.

FIRST AID PROCEDURES

SKIN: Wash well with soap and water. If irritation develops, see a physician.
EYE: Flush well with water for at least 15 minutes. See a physician if irritation develops.
INHALATION: Remove to fresh air. See a physician if irritaiton persists. If breathing is difficult, give oxygen. If breathing has stopped, apply artificial respiration.
ORAL: Call a physician. Drink large amounts of fluid such as water or milk. If vomiting does occur, give fluids again.
ADDITIONAL: None.

SECTION 4 - SPECIAL PROTECTION INFORMATION

VENTILATION PROCEDURE: Mechanical ventilation recommended.
GLOVES PROTECTION: Rubber gloves recommended.
EYE PROTECTION: Chemical goggles recommended.
OTHER PROTECTION: Long-sleeved shirt. Wash clothing before reuse.

PRODUCT TRADE NAME: **Red Line Diesel WaterWetter®**

REVISION DATE: July 15, 2005

SECTION 5 - PHYSICAL DATA

VAPOR PRESSURE: NA
SPECIFIC GRAVITY: 1.04
WATER SOLUBILITY: Miscible @ 25°C
pH 1 % SOLUTION: 8
PERCENT VOLATILE: NA
VAPOR DENSITY: Heavier than air
EVAPORATION RATE: Not Determined.
ODOR: Faint odor.
APPEARANCE: Blue liquid.

SECTION 6 - STABILITY

STABILITY: Stable
INCOMPATIBILITY: Strong acids, oxidizing agents.
POLYMERIZATION: Will not occur.
THERMAL DECOMPOSITION: Oxides of carbon including carbon monoxide.

SPILL OR LEAK PROCEDURES

SPILL PROCEDURES: Contain and collect liquid or sweep up material with absorbent for recycle/disposal.

WASTE DISPOSAL: If disposed of, this material is not believed to be a hazardous waste under RCRA due to ignitability, reactivity, or corrosivity. This material has not been reviewed under RCRA toxicity characteristic criteria published March 29, 1990 (55 FR 11798.) Disposal should be in compliance with federal, state, and local laws.

SPECIAL PRECAUTIONS

SPECIAL PRECAUTIONS: Do not get in eyes, or on skin or clothing. Store in a cool, dry, place. Keep containers closed when not in use. Remove contaminated clothing and launder before reuse.

TRANSPORTATION AND LABELING

DOT PROPER SHIPPING NAME: Not Applicable
DOT HAZARD CLASS: None
DOT ID NUMBER (UN NO.): Not Applicable
IMO CLASS: Not Applicable
PRECAUTIONARY LABELS: None.

The information presented herein has been compiled from sources considered dependable and is accurate to the best of Red Line's knowledge; however, Red Line makes no warranty whatsoever, expressed or implied, of merchantability or fitness for the particular purpose, regarding the accuracy of such data or the results to be obtained from the use thereof. Red Line assumes no responsibility for injury to recipient or to third persons or for any damage to any property and buyer assumes all such risks.